



aspire

MOBILE SHOWER COMMUNE RANGE

(Formerly **ottobock.**)

aspire for...

safety
comfort
support



Components



Corrosion



DVA Contracted



AS / NZS Approved

www.aspirecare.com.au
1300 133 120





460mm Weight Bearing Platform Commode



Commode is registered in the ARTG, AUST R ARTG 286695

S.W.L
200kg

Seat sold separately - See page 8

Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC066000	WB Platform - 460mm - Att Propelled - S/Steel	995mm	535mm	460mm	305mm	225mm	590mm	560mm

460mm Weight Bearing Platform Commode - Self Propelled



Commode is registered in the ARTG, AUST R ARTG 286695

S.W.L
200kg

Seat sold separately - See page 8


Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC066200	WB Platform - 460mm - Self Propelled - S/Steel	995mm	665mm	460mm	305mm	225mm	590mm	560mm



460mm Swing Away Footrest Commode - Attendant Propelled

Safety arm ends rotate to provide a secure grab position for patient and move out of the way to assist with patient transfers

Swing-back safety arms assist transfers



Access trough for easier hygiene requirements



4 lockable stainless steel castors maximise safety by providing carer access to a brake at all angles around the commode

Height adjustable, swing away footrests for optimal positioning and ease of transfers



Commode is registered in the ARTG, AUST R ARTG 286695


Seat sold separately - See page 8

Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC065900	Swing Away Footrest - 460mm - Att Propelled - S/Steel	995mm	535mm	460mm	305mm	225mm	590mm	560mm

460mm Swing Away Footrest Commode - Self Propelled

Safety arm ends rotate to provide a secure grab position for patient and move out of the way to assist with patient transfers

Swing-back safety arms assist transfers



Access trough for easier hygiene requirements



Anti-tippers for maximum safety & 2 x rear lockable self propelling wheels



Commode is registered in the ARTG, AUST R ARTG 286695

Seat sold separately - See page 8

Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC066100	Swing Away Footrest - 460mm - Self Propelled - S/Steel	995mm	665mm	460mm	305mm	225mm	590mm	560mm



530mm Weight Bearing Platform Commode



Commode is registered in the ARTG, AUST R ARTG 286695

Seat sold separately - See page 8

S.W.L
200kg

Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC066050	WB Platform - 530mm - Att Propelled - S/Steel	995mm	605mm	530mm	305mm	225mm	590mm	560mm
BTC066055	WB Platform - 530mm - Self Propelled - S/Steel	995mm	735mm	530mm	305mm	225mm	590mm	560mm

530mm Swing Away Footrest Commode



Commode is registered in the ARTG, AUST R ARTG 286695

Seat sold separately - See page 8

S.W.L
200kg

Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC066060	Swing Away - 530mm - Att Propelled - S/Steel	995mm	605mm	530mm	305mm	225mm	590mm	560mm
BTC066065	Swing Away - 530mm - Self Propelled - S/Steel	995mm	735mm	530mm	305mm	225mm	590mm	560mm




600mm Weight Bearing Platform Commode (400kg capacity)

Height adjustable reinforced armrests with drop flat positioning to assist with lateral slide transfers




Safety arm ends rotate to provide a secure grab position for patient and move out of the way to assist with patient transfers



Access trough for easier hygiene requirements

Easy-slide weight bearing platform footrest slides completely away for transfers



4 lockable stainless steel castors maximise safety by providing carer access to a brake at all angles around the commode



Commode is registered in the ARTG, AUST R ARTG 286695

Seat sold separately - See page 8


Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC061400	WB Platform - 600mm - Att Propelled - S/Steel	995mm	725mm	600mm	300mm	290mm	590mm	560mm

600mm Swing Away Footrest Commode

Swing-back safety arms assist transfers



Safety arm ends rotate to provide a secure grab position for patient and move out of the way to assist with patient transfers



Access trough for easier hygiene requirements

Height adjustable, swing away footrests for optimal positioning and ease of transfers



4 lockable stainless steel castors maximise safety by providing carer access to a brake at all angles around the commode



Commode is registered in the ARTG, AUST R ARTG 286695


Seat sold separately - See page 8

Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC061300	Swing Away - 600mm - Att Propelled - S/Steel	995mm	675mm	600mm	305mm	225mm	590mm	560mm
BTC061305	Swing Away - 600mm - Self Propelled - S/Steel	995mm	805mm	600mm	305mm	225mm	590mm	560mm



Tilt-in-Space Shower Commodes

Backrest may be configured as full length or 3/4 length with the top 1/4 section removable



30° of backrest angle adjustment in 10° increments for effortless repositioning and maximum user comfort



Open back straps provide greater access for bathing needs




Safety arms prevent falls and swing back out of the way for transfers

35° of gas-assisted tilt-in-space functionality minimises manual handling efforts during the showering process



Height adjustable, swing away footrests for optimal positioning and ease of transfers

Tool-free height adjustment to 4 settings allow the commode to be easily adapted to varying needs



4 lockable stainless steel castors maximise safety by providing carer access to a brake at all angles around the commode

Commode is registered in the ARTG, AUST R ARTG 286695

Seat sold separately - See page 8

S.W.L
250kg

Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC066030	460mm - Attendant Propelled	1315 - 1485mm	560mm	460mm	900mm	275mm	460 - 630mm	460 - 620mm
BTC066040	530mm - Attendant Propelled	1315 - 1485mm	630mm	530mm	900mm	275mm	460 - 630mm	460 - 620mm



440mm Aluminium Commode - Attendant Propelled

Swing-back safety arms assist transfers



Padded seat, back and arms for maximum user comfort



Height adjustable to suit changing needs

Height adjustable, swing away footrests for optimal positioning and ease of transfers



2 lockable castors for stability

Bowl with lid (included)



Commode is registered in the ARTG, AUST R ARTG 284644

Soft open PU seat is included

Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC068010	Aluminium Commode - Attendant Propelled	990 - 1040mm	460mm	440mm	495mm	220mm	525 - 580mm	525 - 580mm

440mm Aluminium Commode - Self Propelled

Swing-back safety arms assist transfers



Padded seat, back and arms for maximum user comfort



Height adjustable to suit changing needs

Height adjustable, swing away footrests for optimal positioning and ease of transfers



Anti-tippers as standard for maximum safety. Self propelling wheels maximise user independence



Commode is registered in the ARTG, AUST R ARTG 284644

Soft open PU seat is included

Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC068020	Aluminium Commode - Self Propelled	970 - 995mm	610mm	440mm	490mm	235mm	525 - 570mm	510mm



Standard Seats

DVA Contracted



- Moulded and seamless soft PU seats designed for comfort and durability
- Easy clean, fully sealed surface for infection control
- Choose the size appropriately to fit your Aspire Shower Commode
- Adaptable to most shower commode brands

M6 Tri Nut assembly kit needed for seat attachment. Comes as standard with all commodes. Available as a spare part if lost

Code	Description	Width
BTC066600	Open Seat	460mm
BTC066700	Closed Seat	460mm
BTC066750	Open Seat	530mm
BTC066800	Open Seat	600mm

Hand Made Pressure Reducing Seats

DVA Contracted

- Hand made pressure care seat surface designed for comfort during extended use and pressure injury prevention
- European Dartex anti-microbial four-way stretch fabric is waterproof and breathable
- Multi-layered foam, with memory foam top layer, to maximise immersion and envelopment for pressure distribution
- Sealed seams for infection control management
- Adaptable seat attachment to suit all shower commode brands
- Max seat height: 65mm
- Fully customisable options to suit specific needs (see script form at www.aidacare.com.au or attached or on pages 10 and 11)



CUSTOMISATION AVAILABLE

Code	Description	Width
BTC089122	Pressure Reducing - Open Front	320mm
BTC089124	Pressure Reducing - Closed Front	320mm
BTC089126	Pressure Reducing - Open Front	400mm
BTC089128	Pressure Reducing - Closed Front	400mm
BTC089130	Pressure Reducing - Open Front	460mm
BTC089140	Pressure Reducing - Closed Front	460mm
BTC089150	Pressure Reducing - Open Left	460mm
BTC089160	Pressure Reducing - Open Right	460mm
BTC089170	Pressure Reducing - Open Front	500mm
BTC089180	Pressure Reducing - Closed Front	500mm
BTC089190	Pressure Reducing - Open Front	550mm
BTC089200	Pressure Reducing - Closed Front	550mm
BTC089210	Pressure Reducing - Open Front	600mm
BTC089220	Pressure Reducing - Closed Front	600mm
BTC089230	Pressure Reducing - Open Front	650mm
BTC089240	Pressure Reducing - Closed Front	650mm

Code	Description
BTC089250	Pressure Reducing - Customised (See Script Form)

ROHO® Padded Seats



- High level pressure relief for high needs users
- Interconnected air cells help disperse pressure
- Includes cover
- Fully washable

Code	Description
BTC067500	Closed Seat - 380mm x 425mm
BTC067900	Closed Seat - 425mm x 425mm
BTC067600	Closed Seat - 425mm x 470mm
BTC067300	Closed Seat - 470mm x 470mm

Self Propelling Conversion Kit

DVA Contracted



- Convert any Attendant Propelled Aspire Shower Commode into a Self Propelled version (except 600mm Platform Commode - BTC061400).
- Self propelling kit includes:
 - 22" solid wheels with black spokes and push rims;
 - Quick release axles and mounting hardware;
 - Anti-tippers with roller wheels; and
 - Clamp-on hand brakes

Code	Description
BTC082900	Self Propelling Conversion Kit



✓ Shower Commode Accessories are registered in the ARTG, AUSTRALIA ARTG 286695

✓ All Aspire Shower Commode Accessories are DVA Contracted

Commode Bowl & Pan Carrier



- Stainless steel carrier slides easily into mobile shower commode frame under seat
- Carries a commode bowl with lid, or standard size bed pan
- Rear access handle

Code	Description
BTC066400	Pan Carrier - 460mm - 600mm

Commode Bowl & Bed Pan



- Assists in the collection of waste
- Bowl with lid and handle for discreet disposal
- Bowl washable to 95°
- Bed pan autoclavable

Code	Description
BTC081610	Commode bowl w/lid & handle
BTT151800	Bed Pan

Elevating Legrests



- Assists in leg and foot positioning or elevation, most commonly to treat oedema
- Legrest is angle adjustable to six positions
- Footplate is height and angle adjustable
- Fits all Aspire Shower Commodes with swing away legrests

Code	Description
BTC067110	Elevating Legrest - Left
BTC067115	Elevating Legrest - Right

Available from October

Stump Support



- Adjustable support for amputees
- Fits both left and right side on all Aspire Shower Commodes (except 600mm Platform, BTC061400)
- Adaptable clamp fits most shower commode brands

Code	Description
BTC067105	Stump Support

Advanced Headrest



- Height and depth adjustable padded headrest for head and neck positioning and support
- Fits all Aspire Mobile Shower Commodes
- Adaptable to other brands

Code	Description
BTC067050	Advanced Headrest

Available from October

Adjustable Thoracic Supports



- Width and height adjustable thoracic positioning and lumbar spine support
- Fits all Aspire Shower Commodes except BTC061400
- Adaptable clamp also fits other shower commode brands

Code	Description
BTC067101	Adjustable Thoracic Support
BTC067102	Adjustable Thoracic Support

Oxygen Bottle Carrier



- 140mm diameter stainless steel holder suits sizes Oxygen Bottle sizes C to D
- Adaptable clamp fits most shower commode brands

Code	Description
BTC067200	Oxygen Bottle Carrier

Adjustable Pelvic Belt



- Adjustable belt to assist with pelvic and lower thoracic positioning and safety.
- Durable and washable to 95°
- Plastic buckle reduces chill when in contact with users skin

Code	Description
BTC067100	Pelvic Strap - Adjustable

Adjustable IV Pole



- Clamp-on stainless steel pole to organise intravenous equipment
- Height adjustable
- Adaptable clamp fits most shower commode brands

Code	Description
BTC067103	Adjustable IV Pole

Technical Support

For technical support, including user manuals or spare parts, and for further information please contact Aidacare on:



1300 133 120



www.aidacare.com.au



Custom Made Shower Commode Seats - Script Form

Client

Date: _____

Name: _____ Email: _____

Phone: _____ Fax: _____

Address: _____

Therapist

Name: _____ Email: _____

Phone: _____ Fax: _____

Aidacare Representative

Name: _____ Email: _____

Please complete all relevant details below in **1** to **8** and send completed script form to commodeseats@aidacare.com.au

1 Please choose one:

Order

or

Quote Request

Order #: _____

2 Which brand of shower commode will the seat be attached to? (Required for attachment type):

3 Choose your Fabric

PU Coated 4 way Stretch Fabric (Standard seat thickness 70mm with 30mm memory foam top layer)



Medical Grade White Vinyl (Standard seat thickness 50mm)



4 Choose your Seat Configuration (MUST CHOOSE ONE)

Open Front



Open Right



Closed Front



Open Left





5 Optional Seat Configuration (CHOOSE ONE, BOTH OR NONE)

Right Bite
(Not with Open Right)



Left Bite
(Not with Open Left)




6 Specify Relevant Seat Dimensions (Use the Key in **7**)

	MEASURE	DIMENSIONS (MM)
1	Seat Width	
2	Seat Depth	
3	Hole Length	
4	Hole Width	
5	Hole From Rear	
6	Hole Opening	
7	Left Bite from Rear	

	MEASURE	DIMENSIONS (MM)
8	Left Bite Depth (from side)	
9	Left Bite Opening	
10	Right Bite from Rear	
11	Right Bite Depth (from side)	
12	Right Bite Opening	
13	Seat Thickness (Std for PU is 70mm / Vinyl is 50mm)	

7 Seat Dimensions Key



8 Additional Information

Notes: _____

Office Use Only:

Received by: _____ Checked by: _____

Completed by: _____ Completed date: _____

Serial #/s: _____

Serial number for one seat = Order number (e.g. ORD00400500)
 Serial number for multiple seats on one order = Order number (e.g. ORD00400500-1, ORD00400500-2 etc)

ASSOCIATED PRODUCTS



LIFTERS & SLINGS



TRANSFER AIDS



DAILY LIVING AIDS



THERAPY & EXERCISE



CRUTCHES,
FRAMES & STICKS



SCOOTERS



OVERBED TABLES



BED STICKS & POLES



FOAM MATTRESSES



AIR MATTRESSES



URINALS & BED PANS



OVER TOILET AIDS



SHOWER STOOLS & CHAIRS



RAISED TOILET SEATS



SHOWER COMMODES



BATH BOARDS & BENCHES



SEAT WALKERS



WHEELCHAIRS



STD POWER WHEELCHAIRS



PRESSURE CUSHIONS




HOME CARE BEDS



LIFT & RECLINE CHAIRS

Distributed by:



ASBRT19.29 220218

